



Pergamon

Carbon, Vol. 33, No. 12, p. III-XXI, 1995
Copyright © 1995 Elsevier Science Ltd
Printed in Great Britain. All rights reserved
0008-6223/95 \$9.50 + 0.00

LIST OF CONTENTS

VOLUME 33, NUMBER 1 1995

Contents

**M. C. Román-Martínez,
D. Cazorla-Amorós,
A. Linares-Solano,
C. Salinas-Martínez de Lecea,
H. Yamashita, and
M. Anpo**

**F. Rodríguez-Reinoso,
M. Molina-Sabio, and
M. T. González**

**B. S. Kim,
R. A. Hayes, and
J. Ralston**

**Q. Zhu,
K. Grant, and
K. M. Thomas**

F. G. Emmerich

**A. Sarkar,
H. W. Kroto, and
M. Endo**

**J. D. Chen and
C. P. Ju**

**E. Papirer,
R. Lacroix,
J.-B. Donnet,
G. Nansé, and
P. Fioux**

**T. Ueda,
T. Morimoto,
H. Kumagai, and
Y. Sanada**

**P. E. Nolan,
M. J. Schabel,
D. C. Lynch, and
A. H. Cutler**

1 Editorial

3 Metal-support interaction in Pt/C catalysts. Influence of the support surface chemistry and the metal precursor

15 The use of steam and CO₂ as activating agents in the preparation of activated carbons

25 The adsorption of anionic naphthalene derivatives at the graphite-aqueous solution interface

35 The incorporation of nitrogen into isotropic carbons and its release during temperature-programmed combustion

47 Application of a cross-linking model to the Young's modulus of graphitizable and non-graphitizable carbons

51 Hemi-toroidal networks in pyrolytic carbon nanotubes

57 Low energy tribological behavior of carbon-carbon composites

63 XPS study of the halogenation of carbon black – part 2. Chlorination

73 An additional carbon layer over the surface of C/C composite substrate with the aid of polyvinyl chloride

79 Hydrogen control of carbon deposit morphology

| | |
|---|--|
| J. F. Despres, E. Daguerre, and K. Lafdi | 87 Flexibility of graphene layers in carbon nanotubes |
| Yu. V. Isaev, T. V. Fakuliya, A. A. Filippov, L. B. Itzikson, N. D. Lenenko Yu. N. Novikov, and D. Guerard | 89 Anionic polymerization of styrene in the presence of GICs with alkali metal. The influence of solvating medium and opposite ion |
| O. G. Epanchintsev, A. E. Korneyev, and A. A. Dityatyev | 91 Thermal stability of carbon phases recovered from shock-loaded fullerites |
| | 93 Carbon News |
| | 96 Carbon Calendar |

VOLUME 33, NUMBER 2

1995

Contents

| | |
|---|---|
| Y. Huang and R. J. Young | 97 Effect of fibre microstructure upon the modulus of PAN- and pitch-based carbon fibres |
| J. H. Choi, H. Kumagai, T. Chiba, and Y. Sanada | 109 Carbonization of pitches in air blowing batch reactor |
| V. Mennella, G. Monaco, L. Colangeli, and E. Bussoletti | 115 Raman spectra of carbon-based materials excited at 1064 nm |
| A. Moissette, H. Fuzellier, A. Burneau, J. Dubessy, and M. Lelaurain | 123 Sulfate graphite intercalation compounds: New electrochemical data and spontaneous intercalation |
| B. Buczek, A. Świątkowski, and J. Goworek | 129 Adsorption from binary liquid mixtures on commercial activated carbons |
| R. Setton | 135 Carbon nanotubes: I. Geometrical considerations |
| S. Sato, A. Kurumada, K. Kawamata, H. Suzuki, E. Yasuda, and H. Awaji | 141 Fracture verification of fine grain isotropic graphites containing imitative defects subsequent to round robin test of non-destructive inspection |
| V. A. Nalimova, M. El Gadi, D. Guerard, P. Lagrange, D. Sklovsky, and C. Hérolde | 153 New type of pressure-induced phase transition in potassium graphite intercalation compounds |

| | | |
|--|-----|--|
| C. Guéret, F. Billaud, B. Fixari, and P. Le Perche | 159 | Thermal coupling of methane, experimental investigations on coke deposits |
| Y. Ando | 171 | A carbyne observed in a marketing microgrid |
| A. Nalimova, D. Guérard, M. Lelaurain, and O. V. Fateev | 177 | X-ray investigation of highly saturated Li-graphite intercalation compound |
| N. Nakao, K. Kitagawa, M. Sasaki, and T. Hirai | 183 | High-pressure chemical vapor deposition for preparation of carbon |
| C. Yamaguchi, J. Mondori, A. Matsumoto, H. Honma, H. Kumagai, and Y. Sanada | 193 | Air-blowing reactions of pitch: I. Oxidation of aromatic hydrocarbons |
| H. Hirai, K. Kondo, and T. Ohwada | 203 | Diamond synthesis by shock compression from a thin graphite plate with suppressed regraphitization |
| N. Manolova, I. Rashkov, D. Legras, S. Delpeux, and F. Beguin | 209 | Separation of C_{60}/C_{70} mixture on activated carbon and activated carbon fibres |
| R. Qadeer and J. Hanif | 215 | Adsorption of dysprosium ions on activated charcoal from aqueous solutions |
| S. Biniak | 221 | Preparation and characterization of novel IR-transparent semiconducting carbonaceous materials |
| M. Liu and J. M. Cowley | 225 | Encapsulation of lanthanum carbide in carbon nanotubes and carbon nanoparticles |
| | | <i>Letters to the Editor</i> |
| R. H. Bradley, E. Sheng, I. Sutherland, and P. K. Freakley | 233 | Adsorption of a diamine salt of carboxylic acid by carbon blacks |
| S. Herreyre and P. Gadelle | 234 | Effect of hydrogen on the morphology of carbon deposited from the catalytic disproportionation of CO |
| D. Heymann | 237 | Search for ancient fullerenes in anthraxolite, shungite, and thucolite |
| P. L. Walker, Jr. and A. Almagro | 239 | Activation of pre-chlorinated anthracite in carbon dioxide and steam |
| | 242 | Carbon News |
| | 246 | Carbon Calendar |

Contents

| | |
|--|--|
| A. Madroñero and M. Verdú | 247 Hydrogen content evaluation in vapour-grown carbon fibres by SIMS |
| M. Jayasankar, R. Chand, S. K. Gupta, and D. Kunzru | 253 Vapor-grown carbon fibers from benzene pyrolysis |
| W. Rybak, P. Chambrion, and J. Lahaye | 259 Oxidation of carbon black particles in a premixed flame under pressure |
| I. Mochida, R. Fujiura, T. Kojima, H. Sakamoto, and T. Yoshimura | 265 Carbon disc of high density and strength prepared from heat-treated mesophase pitch grains |
| K. Miura, H. Nakagawa, and K. Hashimoto | 275 Examination of the oxidative stabilization reaction of the pitch-based carbon fiber through continuous measurement of oxygen chemisorption and gas formation rate |
| S. Bourbigot, M. Le Bras, R. Delobel, P. Bréant, and J.-M. Trémillon | 283 Carbonization mechanisms resulting from intumescence—part II. Association with an ethylene terpolymer and the ammonium polyphosphate-pentaerythritol fire retardant system |
| J. J. Fernández, A. Figueiras, M. Granda, J. Bermejo, and R. Menéndez | 295 Modification of coal-tar pitch by air-blowing—I. Variation of pitch composition and properties |
| C. Hung | 309 Room-temperature fluorine-induced decrease in the stability of bromine and iodine intercalated carbon fibers |
| C. Hung | 315 Ferric chloride-graphite intercalation compounds prepared from graphite fluoride |
| W.-Ch. Oh, N.-Ky. Bae, Y.-Ja. Choi, and Y.-Sh. Ko | 323 Structural stability and electron energy state of the H ₂ SO ₄ -graphite deintercalation compounds |
| <i>Letters to the Editor</i> | |
| D. Sklovsky, V. Nalimova, C. Héroud, P. Lagrange, and D. Guerard | 329 New rubidium-graphite intercalation compounds |
| M. Sharon, K. Mukhopadhyay, I. Mukhopadhyay, and K. M. Krishna | 331 Semiconducting multichannel-multilayer camphoric tubules |

| | |
|---|--|
| Y. Uchiyama, S. Araki, H. Sano, and K. Kobayashi | 333 Effect of lanthanum compound addition on the lattice parameter of petroleum coke |
| T. G. Cleveland and S. Garg | 335 Fullerene waste as a carbonaceous adsorbent |
| H. F. Stoeckli and L. Currit | 338 The fractal character of carbon surfaces determined by Fourier analysis of STM data |
| S. Wang, D. Chen, and D. Zhou | 341 A structural study of strings of multi-shell graphitic particles |
| J. Economy, M. Daley, E. J. Hippo, and D. Tandon | 344 Elucidating the pore structure of activated carbon fibers through direct imaging using scanning tunneling microscopy (STM) |
| | 346 Carbon News |
| | 348 Carbon Calendar |

VOLUME 33, NUMBER 4

1995

SPECIAL ISSUE:*Oxidation Protection of Carbon Composites**Contents*

| | |
|---|---|
| T. Morimoto, Y. Ogura, M. Kondo, and T. Ueda | 349 Editorial |
| | 351 Multilayer coating for carbon-carbon composites |
| O. Yamamoto, T. Sasamoto, and M. Inagaki | 359 Antioxidation of carbon-carbon composites by SiC concentration gradient and zircon overcoating |
| W. Cermignani, T. E. Paulson, C. Onneby, and C. G. Pantano | 367 Synthesis and characterization of boron-doped carbons |
| M. A. Rooke and P. M. A. Sherwood | 375 X-ray photoelectron spectroscopic study of the effect of ion etching of silicon carbide on a carbon fiber |
| C. C. Landry and A. R. Barron | 381 MOCVD of alumina-silica oxidation resistant coatings on carbon fibers |
| C. G. Cofer and J. Economy | 389 Oxidative and hydrolytic stability of boron nitride—A new approach to improving the oxidation resistance of carbonaceous structures |
| K. Kobayashi, K. Maeda, H. Sano, and Y. Uchiyama | 397 Formation and oxidation resistance of the coating formed on carbon material composed of B ₄ C-SiC powders |

| | |
|---|--|
| N. Iwashita, Y. Sawada, K. Shimizu, S. Shinke, and H. Shioyama | 405 Effect of matrix texture on tensile strength and oxidation behavior of carbon fiber reinforced carbon composites |
| W. Kowbel, J. C. Withers, and P. O. Ransone | 415 CVD and CVR silicon-based functionally gradient coatings on C-C composites |
| Y.-Q. Wang, B.-L. Zhou, and Z.-M. Wang | 427 Oxidation protection of carbon fibers by coatings |
| L. M. Manocha and S. M. Manocha | 435 Studies on solution-derived ceramic coatings for oxidation protection of carbon-carbon composites |
| W. Liu, Y. Wei, and J. Deng | 441 Carbon-fiber-reinforced C-SiC binary matrix composites |
| M. Guo, K. Shen, and Y. Zheng | 449 Multilayered coatings for protecting carbon-carbon composites from oxidation |
| T. Piquero, H. Vincent, C. Vincent, and J. Bouix | 455 Influence of carbide coatings on the oxidation behavior of carbon fibers |
| T. Li and X. Zheng | 469 Oxidation behaviour of matrix-modified carbon-carbon composites at high temperature |
| J. C. Han, X. D. He, and S. Y. Du | 473 Oxidation and ablation of 3D carbon-carbon composite at up to 3000°C |
| T. L. Dhami, O. P. Bahl, and B. R. Awasthy | 479 Oxidation-resistant carbon-carbon composites up to 1700°C |
| F. J. Buchanan and J. A. Little | 491 Particulate-containing glass sealants for carbon-carbon composites |
| N. E. LoBiondo, L. E. Jones, and A. G. Clare | 499 Halogenated glass systems for the protection of structural carbon-carbon composites |
| W. P. Hoffman, H. T. Phan, and A. Groszek | 509 The deposition of silica on carbon as a model system for oxidation protection coatings |
| F. Lamouroux, X. Bourrat, R. Naslain, and J. Thebault | 525 Silicon carbide infiltration of porous C-C composites for improving oxidation resistance |
| J. W. Fergus and W. L. Worrell | 537 Silicon-carbide/boron-containing coatings for the oxidation protection of graphite |
| J. Rodríguez-Mirasol, P. A. Thrower, and L. R. Radovic | 545 On the oxidation resistance of carbon-carbon composites: Importance of fiber structure for composite reactivity |

| | |
|-----|---|
| 555 | Carbon News |
| 557 | Proposed By-Laws of the American Carbon Society |
| 559 | Carbon Calendar |

VOLUME 33, NUMBER 5

1995

Contents

| | |
|---|---|
| Z. Hu and E. F. Vansant | 561 Carbon molecular sieves produced from walnut shell |
| M. R. Alexander and F. R. Jones | 569 Effect of electrolytic oxidation upon the surface chemistry of type A carbon fibres—Part II, Analysis of derivatised surface functionalities by XPS, and TOF SIMS |
| A. T. Centeno and F. Stoeckli | 581 The oxidation of an Asturian bituminous coal in air and its influence on subsequent activation by steam |
| S. D. Gardner, C. S. K. Singamsetty, G. L. Booth, G.-R. He, and C. U. Pittman, Jr. | 587 Surface characterization of carbon fibers using angle-resolved XPS and ISS |
| Z. Wu, C. U. Pittman, Jr., and S. D. Gardner | 597 Nitric acid oxidation of carbon fibers and the effects of subsequent treatment in refluxing aqueous NaOH |
| Z. Wu, C. U. Pittman, Jr., and S. D. Gardner | 607 Bonding epoxide functions to nitric acid-oxidized carbon fibers using epichlorohydrin; a reliable analytical determination of epoxide functions on fiber surfaces |
| T. Ida, M. Miyake, T. Okura, D. Medhanavin, and M. Nomura | 617 Effects of pretreatment on carbonization properties of resin fractions separated from a solvent-refined coal |
| T. Ida, K. Akada, T. Okura, M. Miyake, and M. Nomura | 625 Carbonization of methylene-bridged aromatic oligomers—effect of alkyl substituents |
| J. R. Kershaw, K. J. T. Black, H. K. Jaeger, R. I. Willing, and J. V. Hanna | 633 A comparison of mesophase formation under sparging and vacuum |
| V. Krebs, M. Elalaoui, J. F. Mareche, G. Furdin, and R. Bertau | 645 Carbonization of coal-tar pitch under controlled atmosphere—Part I. Effect of temperature and pressure on the structural evolution of the formed green coke |

| | |
|---|---|
| M. Elalaoui, V. Krebs, J. F. Mareche, G. Furdin, and R. Bertau | 653 Carbonization of coal-tar pitch under controlled atmosphere—Part II. Effect of temperature and pressure on the electrical property evolution of the formed green coke |
| R. Fu, H. Zeng, Y. Lu, S. Y. Lai, W. H. Chan, and C. F. Ng | 657 The reduction of Pt(IV) with activated carbon fibers—an XPS study |
| J.-M. Ting and M. L. Lake | 663 Vapor-grown carbon-fiber reinforced carbon composites |
| M. José-Yacamán, H. Terrones, L. Rendón, and J. M. Domínguez | 669 Carbon structures grown from decomposition of a phenyl-acetylene and thiophene mixture on Ni nanoparticles |
| R. M. Bustin, J.-N. Rouzaud, and J. V. Ross | 679 Natural graphitization of anthracite: Experimental considerations |
| J. Drbohlav and W. T. K. Stevenson | 693 The oxidative stabilization and carbonization of a synthetic mesophase pitch, Part I: The oxidative stabilization process |
| J. Drbohlav and W. T. K. Stevenson | 713 The oxidative stabilization and carbonization of a synthetic mesophase pitch, Part II: The carbonization process |

Letters to the Editor

| | |
|---|--|
| S. R. Mukai, T. Masuda, Y. Fujikata, T. Harada, and K. Hashimoto | 733 The production of vapor grown fibers from light paraffins using the liquid pulse injection technique |
| M. Nakahara and Y. Sanada | 735 Effect of argon plasma treatment on graphitic surface structure |
| | 737 Carbon News |
| | 738 Carbon Calendar |

Contents

| | |
|---|--|
| K. Anand and V. Gupta | 739 The effect of processing conditions on the compressive and shear strength of 2-D carbon-carbon laminates |
| M. Liu and J. M. Cowley | 749 Encapsulation of manganese carbides within carbon nanotubes and nanoparticles |
| A. Mavinkurve, S. Visser, and A. J. Pennings | 757 An initial evaluation of poly(vinylacetylene) as a carbon fiber precursor |

| | |
|--|--|
| V. Verheyen, R. Rathbone, M. Jagtoyen, and F. Derbyshire | 763 Activated extrudates by oxidation and KOH activation of bituminous coal |
| Y. Kaburagi and Y. Hishiyama | 773 Highly crystallized graphite films prepared by high-temperature heat treatment from carbonized aromatic polyimide films |
| G. Emig, N. Popovska, D. D. Edie, and B.-S. Rhee | 779 Surface free energy of carbon fibers with circular and non-circular cross sections coated with silicon carbide |
| H. Ogawa and K. Saito | 783 Oxidation behavior of polyacrylonitrile fibers evaluated by new stabilization index |
| J. B. Tomlinson, J. J. Freeman, K. S. W. Sing, and C. R. Theocharis | 789 Rates of activation and scanning electron microscopy of polyarylamide-derived chars |
| J. J. Freeman, J. B. Tomlinson, K. S. W. Sing, and C. R. Theocharis | 795 Adsorption of nitrogen and water vapour by activated Nomex® chars |
| J. B. Parra, J. C. de Sousa, J. J. Pis, J. A. Pajares, and R. C. Bansal | 801 Effect of gasification on the porous characteristics of activated carbons from a semianthracite |
| A. Moissette, J. Dubessy, H. Fuzellier, A. Burneau, and M. Lelaurain | 809 Uranyl-sulfate graphite intercalation compounds—I. Their synthesis and stability |
| E. A. Heintz | 817 Effect of calcination rate on petroleum coke properties |
| H. Sugii, K. Esumi, H. Honda, and H. Oda | 821 Characterization of carbonaceous gel beads prepared in presence of polymer using water-in-oil emulsion |
| F. J. M. Rietmeijer | 827 A transmission electron microscope study of experimentally shocked pregraphitic carbon |
| J. M. Jones, A. W. Harding, S. D. Brown, and K. M. Thomas | 833 Detection of reactive intermediate nitrogen and sulfur species in the combustion of carbons that are models for coal chars |
| C. Moreno-Castilla, J. Rivera-Utrilla, M. V. López-Ramón, and F. Carrasco-Marín | 845 Adsorption of some substituted phenols on activated carbons from a bituminous coal |
| N. Dilsiz, N. K. Erinç, E. Bayramil, and G. Akovali | 853 Surface energy and mechanical properties of plasma-modified carbon fibers |

Letters to the Editor

**R. B. Heimann,
S. Fujiwara,
Y. Kakudate,
Y. Koga,
T. Komatsu, and
M. Nomura**

**W. Gu,
M. A. Wilson,
K. J. Fisher,
I. G. Dance,
G. D. Willett,
D. Ren, and
I. B. Volkova**

859 A new carbon form obtained by weak shock compression of carbyne

862 Fullerenes and shungite

865 Carbon News

867 Carbon Calendar

VOLUME 33, NUMBER 7

1995

SPECIAL ISSUE:*Nanotubes**Contents*

**S. Iijima and
M. Endo**

M. S. Dresselhaus

**M. Endo,
K. Takeuchi,
K. Kobori,
K. Takahashi,
H. W. Kroto, and
A. Sarkar**

**M. S. Dresselhaus,
G. Dresselhaus, and
R. Saito**

**J. W. Mintmire and
C. T. White**

**C.-H. Kiang,
W. A. Goddard III,
R. Beyers, and
D. S. Bethune**

K. Sattler

**D. T. Colbert and
R. E. Smalley**

**R. S. Ruoff and
D. C. Lorents**

869 Editorial

871 Preface: Carbon nanotubes

873 Pyrolytic carbon nanotubes from vapor-grown carbon fibers

883 Physics of carbon nanotubes

893 Electronic and structural properties of carbon nanotubes

903 Carbon nanotubes with single-layer walls

915 Scanning tunneling microscopy of carbon nanotubes and nanocones

921 Electric effects in nanotube growth

925 Mechanical and thermal properties of carbon nanotubes

| | | |
|---|------|---|
| S. Ihara and S. Itoh | 931 | Helically coiled and toroidal cage forms of graphitic carbon |
| J.-P. Issi, L. Langer, J. Heremans, and C. H. Olk | 941 | Electronic properties of carbon nanotubes: Experimental results |
| X. K. Wang, X. W. Lin, S. N. Song, V. P. Dravid, J. B. Ketterson, and R. P. H. Chang | 949 | Properties of buckytubes and derivatives |
| P. C. Eklund, J. M. Holden, and R. A. Jishi | 959 | Vibrational modes of carbon nanotubes; Spectroscopy and theory |
| T. W. Ebbesen and T. Takada | 973 | Topological and SP ³ defect structures in nanotubes |
| Y. Saito | 979 | Nanoparticles and filled nanocapsules |
| D. Ugarte | 989 | Onion-like graphitic particles |
| U. Zimmermann, N. Malinowski, A. Burkhardt, and T. P. Martin | 995 | Metal-coated fullerenes |
| L. B. Ebert | 1007 | <i>Book reviews</i> |
| L. B. Ebert | 1011 | List of issued U.S. patents containing the terms buckminsterfullerene or fullerene as of April 25, 1995 |
| | 1017 | Carbon News |
| | 1019 | Carbon Calendar |

VOLUME 33, NUMBER 8

1995

Contents

| | | |
|---|------|--|
| R. J. J. Jansen and H. van Bekkum | 1021 | XPS of nitrogen-containing functional groups on activated carbon |
| K.-M. Beinborn, M. Müller and K. J. Hütinger | 1029 | The significance of the fibre coating in the production of carbon fibre-reinforced carbons from HT carbon fibres. I. Poly(dimethylsiloxane) and poly(methylphenylsiloxane) coatings |
| M. Müller, K.-M. Beinborn and K. J. Hütinger | 1043 | The significance of the fibre coating in the production of carbon fibre-reinforced carbons from HT carbon fibres and phenolic resin as matrix precursor. II. Phenolic resin coatings |
| K. Putyera, J. Jagiello, T. J. Bandosz and J. A. Schwarz | 1047 | Micropore structure development in poly(sodium-4-styrenesulfonate) derived carbons |

| | | |
|--|------|---|
| W. H. Glime and J. D. Cawley | 1053 | Oxidation of carbon fibers and films in ceramic matrix composites: a weak link process |
| R. Fujiura, T. Kojima, M. Komatsu and I. Mochida | 1061 | Mechanical properties of binderless carbon mould prepared from heat-treated mesophase pitch of controlled grain size |
| I. Mochida, K. H. An and Y. Korai | 1069 | Preparation of nitrogen containing pitches from quinoline and isoquinoline by aid of AlCl_3 |
| I. Mochida, K. H. An and Y. Korai | 1079 | Catalytic condensation of isoquinoline into pitch in higher yield in the presence of nitro solvents |
| A. Oya, S. Yoshida, J. Alcaniz-Monge and A. Linares-Solano | 1085 | Formation of mesopores in phenolic resin-derived carbon fiber by catalytic activation using cobalt |
| Sung Yong Cho | 1091 | The effect of presorbed water on the adsorption of CFC-113 by a carbon adsorbent |
| A. Seron, J. Thebault and F. Beguin | 1097 | Ceramic coatings for carbonaceous composites from kaolinite |
| M. Molina-Sabio, F. Rodríguez-Reinoso, F. Caturla and M. J. Sellés | 1105 | Porosity in granular carbons activated with phosphoric acid |
| M. G. Dobb, H. Guo and D. J. Johnson | 1115 | Image analysis of lattice imperfections in carbon fibres |
| J. Walter and H. P. Boehm | 1121 | Stability of graphite intercalation compounds with TaCl_5 or NbCl_5 against water or dilute acids—a study with XRD, SEM/EDS and electron microprobe analysis (EMPA) |
| J. M. Jones and K. M. Thomas | 1129 | Carbon-13 materials as models for NO_x and N_2O release during coal char combustion |
| C. Y. Cha and Y. Kong | 1141 | Enhancement of NO_x adsorption capacity and rate of char by microwaves |
| D. Cazorla-Amorós, A. Linares-Solano, F. H. M. Dekker and F. Kapteijn | 1147 | Isotopic steady-state and step-response study on carbon gasification catalyzed by calcium |
| J. A. Moulijn and F. Kapteijn | 1155 | Towards a unified theory of reactions of carbon with oxygen-containing molecules |
| S. Motojima, I. Hasegawa, S. Kagiya, K. Andoh and H. Iwanaga | 1167 | Vapor phase preparation of micro-coiled carbon fibers by metal powder catalyzed pyrolysis of acetylene containing a small amount of phosphorus impurity |

Letters to the Editor

**J. C. Gonzalez,
M. T. Gonzalez,
M. Molina-Sabio,
F. Rodríguez-Reinoso and
A. Sepulveda-Escribano**

**W. L. Zhou,
Y. Ikuhara,
W. Zhao and
J. Tang**

**M. Molina-Sabio,
F. Caturla and
F. Rodríguez-Reinoso**

**M. Martínez,
F. Rodríguez-Reinoso,
P. Torregrosa,
D. Romero and
R. Santamaría**

S. Y. Cho

**I. Mochida,
M. Egashira,
H. Koura,
K. Dakeshita,
S.-H. Yoon and
Y. Korai**

1175 Porosity of activated carbons prepared from different lignocellulosic materials

1177 A transmission electron microscopy study of amorphization of graphite by mechanical milling

1180 Influence of the atmosphere used in the carbonization of phosphoric acid impregnated peach stones

1182 A new parameter relating the properties of semicokes and the resulting sintered carbons

1184 A study on adsorption of trichloromonofluoroethane by an activated carbon pellet

1186 Carbonization of C_{60} and C_{70} fullerenes to fullerene soot

1189 Carbon News

1192 Carbon Calendar

VOLUME 33, NUMBER 9

1995

Contents

**P. Dupel,
X. Bourrat and
R. Pailler**

**G. Cacciola,
G. Restuccia and
L. Mercadante**

**S. Vaidyaraman,
W. J. Lackey
P. K. Agrawal and
G. B. Freeman**

**R. L. Jacobsen,
T. M. Tritt,
J. R. Guth,
A. C. Ehrlich and
D. J. Gillespie**

1193 Structure of pyrocarbon infiltrated by pulse-CVI

1205 Composites of activated carbon for refrigeration adsorption machines

1211 Forced flow-thermal gradient chemical vapor infiltration (FCVI) for fabrication of carbon/carbon

1217 Mechanical properties of vapor-grown carbon fiber

| | |
|--|---|
| A. Moissette, A. Burneau, J. Dubessy, H. Fuzellier and M. Lelaurain | 1223 Uranyl-sulfate graphite intercalation compounds II. Structural and spectroscopic studies |
| J. J. Fernández, A. Figueiras, M. Granda, J. Bermejo, J. B. Parra and R. Menéndez | 1235 Modification of coal-tar pitch by air-blowing II. Influence on coke structure and properties |
| M. S. Solum, R. J. Pugmire, M. Jagtoyen and F. Derbyshire | 1247 Evolution of carbon structure in chemically activated wood |
| S. Biniak, B. Dzieleńdziak and J. Siedlewski | 1255 The electrochemical behaviour of carbon fibre electrodes in various electrolytes. Double-layer capacitance |
| J.-Y. Tilquin, R. Côté, G. Veilleux, D. Guay, J. P. Dodelet and G. Denès | 1265 Preparation and chemical reduction of Pt(IV) chloride-GICs: supported Pt vs Pt inclusion graphite compounds |
| H. T. Tsou and W. Kowbel | 1279 A hybrid PACVD SiC/CVD Si ₃ N ₄ /SiC multilayer coating for oxidation protection of composites |
| H. T. Tsou and W. Kowbel | 1289 A hybrid PACVD B ₄ C/CVD Si ₃ N ₄ coating for oxidation protection of composites |
| Z. Hu and E. F. Vansant | 1293 Chemical activation of elutritite producing carbon-aluminosilicate composite adsorbent |
| M. Nakashima, S. Shimada, M. Inagaki and T. A. Centeno | 1301 On the adsorption of CO ₂ by molecular sieve carbons—volumetric and gravimetric studies |
| P. J. M. Carrott | 1307 Molecular sieve behaviour of activated carbons |
| K. A. G. Amankwah and J. A. Schwarz | 1313 A modified approach for estimating pseudo-vapor pressures in the application of the Dubinin-Astakhov equation |
| L. Kavan, J. Hlavatý, J. Kastner and H. Kuzmany | 1321 Electrochemical carbyne from perfluorinated hydrocarbons: synthesis and stability studied by Raman scattering |
| E. Papirer, A. Polania-Leon, J.-B. Donnet and P. Montagnon | 1331 Fixation of potassium aurocyanide on active carbons |
| A. Tressaud, M. Chambon, V. Gupta, S. Flandrois and O. P. Bahl | 1339 Fluorine-intercalated carbon fibers III. A transmission electron microscopy study |

Letters to the Editor

M. Sato,
H. Isobe,
K. Yamamoto,
T. Iiyama and
K. Kaneko

Y. Kaburagi and
Y. Hishiyama

1347 Oriented micrographic carbon films of high surface area

1349 Anomalous Hall coefficient in kish graphite

1351 Carbon News

1356 Carbon Calendar

VOLUME 33, NUMBER 10

1995

Contents

M. Braun,
J. Kramer and
K. J. Hüttinger

G. L. Aranovich and
M. D. Donohue

Sei-Min Park,
E. Yasuda,
T. Akatsu,
Y. Tanabe,
M. Kakihana and
K. Ozawa

K. Stańczyk,
R. Dziembaj,
Z. Piwowarska and
S. Witkowski

A. Ahmadpour and
D. D. Do

Y. Hishiyama and
M. Nakamura

H. K. Chagger,
F. E. Ndaji,
M. L. Sykes and
K. M. Thomas

E. Biron and
R. Stavisky

C. Moreno-Castilla,
J. Rivera-Utrilla,
J. P. Joly,
M. V. López-Ramón,
M. A. Ferro-García and
F. Carrasco-Marín

1357 Editorial

1359 Kinetics of mesophase formation in a stirred tank reactor and properties of the products—VI. Catalysis by iron benzoate and naphthoate

1369 Adsorption isotherms for microporous adsorbents

1377 Evolution of microtexture in furan resin-derived carbon with heat-treatment

1383 Transformation of nitrogen structures in carbonization of model compounds determined by XPS

1393 Characterization of modified activated carbons: equilibria and dynamics studies

1399 X-ray diffraction in oriented carbon films with turbostratic structure

1405 Kinetics of adsorption and diffusional characteristics of carbon molecular sieves

1413 Deactivation of ASC Whetlerite charcoal upon adsorption of cyanogen chloride

1417 Thermal regeneration of an activated carbon exhausted with different substituted phenols

| | |
|---|--|
| P. Čapková, D. Rafaja, J. Walter, H. P. Boehm, K. F. van Malssen and H. Schenk | 1425 Real-time X-ray diffraction study of concentration profiles in CuCl ₂ -intercalated graphite during deintercalation |
| Lj. V. Rajaković M. R. Ilić, P. B. Jovanić and P. B. Radošević | 1433 Stoichiometric analysis of chemisorption of hydrogen-cyanide onto activated carbon cloth |
| T. Kodama, T. Sano, T. Yoshida, M. Tsuji and Y. Tamaura | 1443 CO ₂ decomposition to carbon with ferrite-derived metallic phase at 300°C |
| H. Darmstadt, C. Roy and S. Kaliaguine | 1449 Characterization of pyrolytic carbon blacks from commercial tire pyrolysis plants |
| Y. Matsumura, S. Wang and J. Mondori | 1457 Interactions between disordered carbon and lithium in lithium ion rechargeable batteries |
| R. Addink, P. A. I. P. Cnubben and K. Olie | 1463 Formation of polychlorinated dibenzo- <i>p</i> -dioxins/dibenzofurans on fly ash from precursors and carbon model compounds |
| J. M. Skowroński and H. Shioyama | 1473 In-situ XRD studies during electrochemical processes in the ternary CrO ₃ -H ₂ SO ₄ -graphite intercalation compound |
| Z. Kuang, I. Thonstad and M. Sørlie | 1479 Effects of additives on the electrolytic consumption of carbon anodes in aluminium electrolysis |
| J. W. Klett and D. D. Edie | 1485 Flexible towpreg for the fabrication of high thermal conductivity carbon/carbon composites |
| Y. Kaburagi and Y. Hishiyama | 1505 <i>Letter to the editor</i> Linear dependence of transverse magnetoresistance on magnetic field in kish graphite |
| | 1507 Carbon news |
| | 1508 Carbon calendar |

Contents

| | |
|---|---|
| K. A. Trick and T. F. Saliba | 1509 Mechanisms of the pyrolysis of phenolic resin in a carbon/phenolic composite |
| T. L. Dhami, O. P. Bahl and P. K. Jain | 1517 Carbon-carbon composites made with oxidised PAN (Panex) fibers |
| W. Wang, K. M. Thomas, R. M. Poultney and R. R. Willmers | 1525 Iron catalysed graphitisation in the blast furnace |

| | | |
|---|------|---|
| M. Nakahara, T. Takada, H. Kumagai and Y. Sanada | 1537 | Surface chemistry of carbon black through curing process of epoxy resin |
| J. Zawadzki | 1541 | Infrared study of the interaction of acetone with pure and metal-containing carbons |
| Y. Tanabe, T. Saitoh, T. Akatsu and A. Sawaoka | 1547 | Crater formation of carbon materials by impact of a high velocity sphere |
| M. G. Dobb, H. Guo, D. J. Johnson and C. R. Park | 1553 | Structure-compressional property relations in carbon fibres |
| T. Jawhari, A. Roid and J. Casado | 1561 | Raman spectroscopic characterization of some commercially available carbon black materials |
| J.-I. Hayashi, M. Nakashima, K. Kusakabe, S. Morooka and S. Mitsuda | 1567 | Rapid stabilization of pitch fiber precursor by multi-step thermal oxidation |
| F. Karpowicz, J. Hearn and M. C. Wilkinson | 1573 | The quantitative use of the Bohart–Adams equation to describe effluent vapour profiles from filter beds |
| C. Hontoria-Lucas, A. J. López-Peinado, D. López-González, M. L. Rojas-Cervantes and R. M. Martin-Aranda | 1585 | Study of oxygen-containing groups in a series of graphite oxides: physical and chemical characterization |
| N. El Mejdoub, B. Calaminus, G. Trouvé, P. Gilot and L. Delfosse | 1593 | Reactivity of the soot produced during pyrolysis of hexachlorobenzene. Influence of the presence of chlorine |
| H. P. Fritz and R. Hiemeyer | 1601 | Formation <i>in situ</i> of perfluoroalkylated fullerenes |
| I. Mochida, S. Yatsunami, Y. Kawabuchi and Y. Nakayama | 1611 | Influence of heat-treatment on the selective adsorption of CO ₂ in a model gas over molecular sieve carbons |
| T. Takeichi, Y. Kaburagi, Y. Hishiyama and M. Inagaki | 1621 | Effect of uniaxial cold-drawing on graphitization of polyimide films |
| S. W. Hudnut and D. D. L. Chung | 1627 | Use of submicron diameter carbon filaments for reinforcement between continuous carbon fiber layers in a polymer-matrix composite |

| | |
|---|--|
| V. Gupta, R. B. Mathur, O. P. Bahl, A. Marchand and S. Flandrois | 1633 Structural and transport properties of bromine intercalated carbon fibers |
| J. R. Pels, F. Kapteijn, J. A. Moulijn, Q. Zhu and K. M. Thomas | 1641 Evolution of nitrogen functionalities in carbonaceous materials during pyrolysis |
| J. A. Menéndez, M. J. Illán-Gómez, C. A. León Y León and L. R. Radovic | 1655 <i>Letters to the editor</i> On the difference between the isoelectric point and the point of zero charge of carbons |
| F. Goutfer-Wurmser, C. Hérold and P. Lagrange | 1657 Superdense potassium concentration in some graphite intercalation compounds |
| | 1660 Carbon news |
| | 1162 Carbon calendar |

VOLUME 33, NUMBER 12

1995

Contents

| | |
|---|---|
| T. Jiang and K. Xu | 1663 FTIR study of ultradispersed diamond powder synthesized by explosive detonation |
| T. Cheung, M. Turpin and B. Rand | 1673 Controlled stress, oscillatory rheometry of mesophase-pitches |
| X. Shui, C. A. Fryszt and D. D. L. Chung | 1681 Solvent cleansing of the surface of carbon filaments and its benefit to electrochemical behavior |
| C.-C. Liu, A. B. Walters and M. A. Vannice | 1699 Measurement of electrical properties of a carbon black |
| F. G. Emmerich | 1709 Evolution with heat treatment of crystallinity in carbons |
| C. Nguyen and D. D. Do | 1717 Preparation of carbon molecular sieves from macadamia nut shells |
| V. Ivanov, A. Fonseca, J. B. Nagy, A. Lucas, P. Lambin, D. Bernaerts and X. B. Zhang | 1727 Catalytic production and purification of nanotubules having fullerene-scale diameters |
| H. Preiss, L.-M. Berger and M. Braun | 1739 Formation of black glasses and silicon carbide from binary carbonaceous/silica hydrogels |

| | | |
|--|-------|---|
| L. Filipozzi, A. Derré, J. Conard, L. Piraux and A. Marchand | 1747 | Local order and electrical properties of boron carbonitride films |
| A. Fonseca, K. Hernadi, J. B. Nagy, Ph. Lambin and A. A. Lucas | 1759 | Model structure of perfectly graphitizable coiled carbon nanotubes |
| M. Molina-Sabio, M. A. Muñecas, F. Rodríguez-Reinoso and B. McEnaney | 1777 | Adsorption of CO ₂ and SO ₂ on activated carbons with a wide range of micropore size distribution |
| T. Sogabe, T. Matsuda, K. Kuroda, Y. Hirohata, T. Hino and T. Yamashina | 1783 | Preparation of B ₄ C-mixed graphite by pressureless sintering and its air oxidation behavior |
| T. Abe, Y. Mizutani, N. Shinoda, E. Ihara, M. Asano, T. Harada, M. Inaba and Z. Ogumi | 1789 | Debye-Waller factors of FeCl ₃ - and ICl-graphite intercalation compounds |
| | 1795 | Carbon News |
| | 1796 | Carbon Calendar |
| | iii | List of Contents of Volume 33 |
| | xxiii | Author index |
| | xxvii | Keyword index |

